IN THE CLAIMS:

The listing of claims will replace all prior versions, and listing, of claims in the application.

- 1. (Currently Amended) A polycarbonate composition comprising:
- (A) an aromatic polycarbonate and/or polyester-carbonate;
- (B) a graft polymer; and
- (C) 1 to 3 %, relative to the weight of the composition, of a copolymer of styrene and at least one monomer containing at least one carboxyl group, the copolymer having a weight average molecular weight, M_w, equal to or greater than 10,500 g/mol.
- 2. (Currently Amended) The composition according to Claim 1, wherein (C) is present in an amount of 0.4 to 7 1.5 to 2.5 % relative to the weight of the composition.
 - 3. (Cancelled)
- 4. (Original) The composition according to Claim 1 wherein (C) is a copolymer of styrene and maleic anhydride.
- 5. (Currently Amended) The composition according to Claim 4, wherein (C) contains comprises maleic anhydride in an amount of 1 to 40 % relative to the weight of (C).
- 6. (Original) The composition according to Claim 1 wherein the weight average molecular weight of (C) is 10,500 to 300,000.
- 7. (Original) The composition according to Claim 1 wherein (A) is present in an amount of 5 to 98 % relative to the weight of the composition.

Mo-6879

- 8. (Original) The composition according to Claim 1 wherein (A) is present in an amount of 4 to 75 % relative to the weight of the composition.
- 9. (Original) The composition according to Claim 1 wherein (B) is a graft of B.1) 5 to 95 wt.% of one or more vinyl monomers on B.2) 95 to 5 wt.% of one or more graft bases having glass transition temperatures lower than 10°C.
- 10. (Original) The composition according to Claim 1 wherein (B) is present in an amount of 1 to 94 % relative to the weight of the composition.
- 11. (Original) The composition according to Claim 1 wherein (B) is present in an amount of 5 to 60 % relative to the weight of the composition.
- 12. (Currently Amended) The composition according to Claim 1 further containing comprising component (D) selected from at least one of thermoplastic vinyl (co)polymer and/or polyalkylene terephthalate.
- 13. (Original) The composition according to Claim 12 wherein D is present in an amount of 0 to 25 % relative to the weight of the composition.
- 14. (Currently Amended) The composition according to Claim 1 further containing comprising (E) at least one additive selected from the group consisting of flameproofing agents, fluorinated polyolefins and inorganic particles.
- 15. (Original) The composition of Claim 14 wherein inorganic particles are selected from the group consisting of talc, mica, wollastonite, quartz, and titanium dioxide.
- 16. (Original) A process for the preparation of the composition of Claim 1 comprising mixing (A), (B) and (C) and subjecting the resulting mixture to melt compounding and melt extrusion at temperatures of 200 to 300°C in conventional units.

- 17. (Original) A method of using the composition of Claim 1 comprising producing a molded article.
 - 18. (Original) The molded article prepared by the method of Claim 17.
- 19. (Currently Amended) A multi-layered composite comprising at least one first layer that includes the composition of Claim 1 and a second layer that contains comprises polyurethane.
- 20. (Original) The composite of Claim 19, wherein said first layer is bonded directly to said second layer.
- 21. (Original) The composite of Claim 20 wherein said second layer is a polyurethane foam.
- 22. (Original) The composite of Claim 20 wherein said second layer is a solid polyurethane.
- 23. (Currently Amended) The composite of Claim 20 further comprising at least one an additional polymeric layer, said additional polymeric layer being bonded directly to said second layer.
- 24. (Currently Amended) The composite of Claim 23, wherein the additional polymeric layer contains comprises polyvinyl chloride.
 - 25. (Cancelled)
 - 26. (New) A multi-layered composite comprising
- (i) at least one first layer that includes a polycarbonate composition comprising,
 - (A) an aromatic polycarbonate and/or polyester-carbonate;
 - (B) a graft polymer; and

- (C) 0.4 to 7 %, relative to the weight of the composition, of a copolymer of styrene and at least one monomer containing at least one carboxyl group, the copolymer having a weight average molecular weight, M_w, equal to or greater than 10,500 g/mol; and
- (ii) a second layer comprising polyurethane.
- 27. (New) The multi-layered composite of Claim 26 wherein said polycarbonate composition contains said copolymer (C) in an amount of 1.5 to 2.5 %, relative to the weight of said composition.